

## Eusebian Sections with NRSV References

The following tables indicate the modern chapter and verse references for the numbered sections devised by Eusebius (and/or Ammonius). There are two numbers for each entry, the first being the Eusebian section and canon, separated by a period, the second being the NRSV reference.

### MATTHEW (355)

1.3.1.1-16	73.2.9.12-17	145.6.14.6-12	217.2.21.23-27	289.1.26.33-34
2.10.1.17	74.2.9.18-26	146.3.14.13-14	218.10.21.28-32	290.6.26.35
3.5.1.18	75.10.9.27-34	147.1.14.15-21	219.2.21.33-44	291.1.26.36A
4.10.1.19-2.4	76.2.9.35	148.6.14.22	220.1.21.45-46	292.6.26.36B-37
5.7.2.5-6	77.6.9.36	149.2.14.23A	221.5.22.1-10	293.4.26.38
6.1.2.7-23	78.5.9.37-38	150.4.14.23B-27	222.10.22.11-14	294.1.26.39AB
7.3.3.1-2	79.2.10.1	151.10.14.28-31	223.2.22.15-33	295.1.26.39C

8.1.3.3	80.2 10.2-4	152.6 14.32-34	224.6 22.34-40	296.2 26.40-41A
9.6.3.4-6	81.10 10.5-6	153.2 14.35-36	225.2 22.41-45	297.4 26.41B
10.5.3.7-10	82.2 10.7-10	154.6 15.1-11	226.2 22.46	298.6 26.42-44
11.1.3.11	83.2 10.11	155.10 15.12-13	227.10 23.1-3	299.4 26.45-46
12.5.3.12	84.5 10.12-13	156.5 15.14	228.5 23.4	300.1 26.47
13.10.3.13-15	85.2 10.14-15	157.6 15.15-23	229.2 23.5-7	301.2 26.48-50
14.1.3.16-17	86.5 10.16	158.5 15.24	230.10 23.8-11	302.1 26.51-52A
15.2.4.1	87.1 10.17-18	159.6 15.25-28	231.5 23.12	303.10 26.52B-54
16.5.4.2-10	88.2 10.19-22	160.6 15.29-39	232.5 23.13 (-14, in note)	304.1 26.55
17.6.4.11	89.10 10.23	161.4 16.1	233.10 23.15-22	305.6 26.56
18.4.4.12	90.3 10.24-25A	162.5 16.2-3	234.5 23.23	306.1 26.57
19.7.4.13-16	91.10 10.25B-26A	163.6 16.4	235.10 23.24	307.4 26.58

20.6.4.17-18	92.2.10.26B	164.2.16.5-6	236.5.23.25-26	308.2.26.59-60A
21.2.4.19-20	93.5.10.27-32	165.6.16.7-12	237.5.23.27-28	309.6.26.60B-64A
22.6.4.21-22	94.2.10.33	166.1.16.13-16	238.5.23.29-32	310.1.26.64B
23.1.4.23-25	95.5.10.34-36	167.10.16.17-19	239.10.23.33	311.6.26.65A
24.10.5.1	96.5.10.37-38	168.2.16.20-21	240.5.23.34-36	312.2.26.65B-66
25.5.5.2-3	97.3.10.39	169.6.16.22-23	241.5.23.37-39	313.1.26.67-68
27.5.5.4	98.1.10.40	170.2.16.24-26	242.2.24.1-2	314.1.26.69-70
26.10.5.5	99.10.10.41	171.10.16.27	243.2.24.3-8	315.1.26.71-74
28.5.5.6	100.6.10.42	172.2.16.28-17.9	244.1.24.9	316.2.26.75
29.10.5.7-10	101.10.11.1	173.6.17.10-13	245.10.24.10-13	317.2.27.1
30.5.5.11-12	102.5.11.2-9	174.2.17.14-18	246.6.24.14	318.1.27.2
31.2.5.13	103.2.11.10	175.5.17.19-21	247.6.24.15-16	319.10.27.3-10
32.2.5.14-16	104.5.11.11	176.2.17.22-23	248.2.24.17-18	320.1.27.11

33.10.5.17	105.5.11.12-13	177.10.17.24-27	249.2.24.19	321.4.27.12-14
34.5.5.18	106.10.11.14-15	178.2.18.1-5	250.6.24.20	322.2.27.15
35.10.5.19-24	107.5.11.16-19	179.2.18.6-7	251.2.24.21	323.4.27.16-18
36.5.5.25-26	108.5.11.20-23B	180.6.18.8-9	252.6.24.22	324.10.27.19
37.10.5.27-39A	109.10.11.23C-24	181.10.18.10 (-11, in note)	253.2.24.23	325.1.27.20-21
38.5.5.39B-40	110.5.11.25-26	182.5.18.12-14	254.6.24.24	326.1.27.22-23
39.10.5.41-43	111.3.11.27A	183.5.18.15	255.5.24.25-26	327.10.27.24-25
40.5.5.44-45	112.3.11.27B	184.10.18.16-17	256.5.24.27	328.1.27.26
41.5.5.46-48	113.10.11.28-30	185.7.18.18	257.5.24.28	329.4.27.27-29
42.10.6.1-6	114.2.12.1-4	186.10.18.19-20	258.2.24.29-30A	330.6.27.30-31
43.5.6.7-13	115.10.12.5-8	187.5.18.21-22	259.2.24.30B-35	331.1.27.32
44.6.6.14-15	116.2.12.9-13	188.10.18.23-35	260.6.24.36	332.1.27.33

45.10.6.16-19	117.4.12.14	189.6.19.1-8	261.5.24.37-39	333.4.27.34
46.5.6.20-21	118.10.12.15-21	190.2.19.9	262.5.24.40-41	334.1.27.35-36
47.5.6.22-23	119.5.12.22	191.10.19.10-12	263.6.24.42	335.1.27.37
48.5.6.24	120.7.12.23	192.2.19.13-15	264.2.24.43-44	336.1.27.38
49.5.6.25-34	121.2.12.24	193.2.19.16-20	265.5.24.45	337.6.27.39-40
50.2.7.1-2	122.2.12.25-30	194.2.19.21	266.5.24.46-47	338.2.27.41-43
51.5.7.3-5	123.2.12.31-32	195.2.19.22-27	267.5.24.48-51	339.2.27.44
52.10.7.6	124.1.12.33-34	196.10.19.28A	268.10.25.1-13	340.2.27.45
53.5.7.7-11	125.5.12.35	197.5.19.28B	269.2.25.14	341.6.27.46-47
54.5.7.12	126.10.12.36-37	198.2.19.29	270.5.25.15-28	342.2.27.48-49
55.5.7.13-14	127.5.12.38	199.2.19.30	271.2.25.29	343.1.27.50
56.10.7.15-16A	128.5.12.39-42	200.10.20.1-16	272.5.25.30	344.2.27.51A
57.5.7.16B	129.5.12.43-45	201.2.20.17-19	273.10.25.31-26.1	345.10.27.51B-53

58.5 7.17-20	130.2 12.46-50	202.6 20.20-23	274.1 26.2	346.2 27.54
59.3 7.21	131.2 13.1-11	203.2 20.24-27	275.6 26.3-5	347.6 27.55-56
60.5 7.22-23	132.5 13.12	204.4 20.28	276.1 26.6-11	348.1 27.57-58
61.5 7.24-27	133.1 13.13-15	205.2 20.29-34	277.4 26.12-13	349.1 27.59-60
62.2 7.28-29	134.5 13.16-17	206.2 21.1-3	278.2 26.14-19	350.6 27.61
63.2 8.1-4	135.2 13.18-23	207.7 21.4-5	279.4 26.20-21	351.10 27.62-66
64.3 8.5-10	136.10 13.24-30	208.2 21.6-8	280.1 26.22	352.1 28.1-4
65.5 8.11-12	137.2 13.31-32	209.1 21.9	281.2 26.23-24A	353.2 28.5-7
66.5 8.13	138.5 13.33	210.10 21.10-11	282.6 26.24B	354.2 28.8
67.2 8.14-18	139.6 13.34-35	211.1 21.12-13	283.10 26.25	355.10 28.9-20
68.5 8.19-22	140.10 13.36-53	212.10 21.14	284.1 26.26	
69.2 8.23-34	141.1 13.54-56	213.5 21.15-16	285.2 26.27-29	

70.1 9.1-8	142.1 13.57-58	214.6 21.17-20	286.6 26.30
71.2 9.9	143.2 14.1-2	215.6 21.21	287.4 26.31A
72.2 9.10-11	144.2 14.3-5	216.4 21.22	288.6 26.31B-32

**MARK (233+)**

1.2 1.1-2	50.1 6.1-3	99.2 9.42	148.2 13.21	197.2 14.72BC
2.1 1.3	51.1 6.4-6A	100.6 9.43-47	149.6 13.22-23	198.2 15.1A
3.6 1.4-7A	52.2 6.6B	101.10 9.48-49	150.2 13.24-25	199.1 15.1B
4.1 1.7B-8	53.2 6.7-9	102.2 9.50	151.2 13.26-31	200.1 15.2
5.1 1.9-11	54.2 6.10	103.6 10.1-9	152.6 13.32	201.4 15.3-5
6.2 1.12-13B	55.2 6.11	104.10 10.10	153.6 13.33	202.2 15.6
7.6 1.13C	56.8 6.12-13	105.2 10.11-12	154.2 13.34	203.4 15.7-10
8.4 1.14A	57.2 6.14	106.2 10.13-16	155.2 13.35-37	204.1 15.11

9.6 1.14B-16	58.10 6.15-16	107.2 10.17-21A	156.1 14.1A	205.1 15.12-14
10.2 1.17-18	59.2 6.17	108.2 10.21B	157.6 14.1B-2	206.1 15.15
11.6 1.19-20	60.6 6.18-29	109.2 10.22-28	158.1 14.3-7	207.4 15.16-19
12.8 1.21	61.8 6.30	110.2 10.29-30	159.4 14.8-9	208.6 15.20
13.2 1.22	62.10 6.31	111.2 10.31	160.2 14.10-16	209.1 15.21
14.8 1.23-28	63.6 6.32-34	112.2 10.32-34	161.4 14.17-18	210.1 15.22
15.2 1.29-34A	64.1 6.35-44	113.6 10.35-40	162.1 14.19	211.4 15.23
16.8 1.34BC	65.6 6.45	114.2 10.41-44	163.2 14.20-21A	212.1 15.24
17.8 1.35-39	66.2 6.46	115.4 10.45	164.6 14.21B	213.10 15.25
18.2 1.40-44	67.4 6.47-50	116.2 10.46-52	165.1 14.22	214.1 15.26
19.10 1.45	68.6 6.51-53	117.2 11.1-3	166.2 14.23-25	215.1 15.27
20.1 2.1-12	69.2 6.54-56	118.2 11.4-8	167.6 14.26-27A	216.8 15.28 (in note)
21.2 2.13-14	70.10 7.1-4	119.1 11.9-10	168.4 14.27B	217.6 15.29-30



22.2.2.15-16	71.6 7.5-16	120.6 11.11-15A	169.6 14.27C-28	218.2 15.31-32A
23.2.2.17-22	72.6 7.17-26A	121.1 11.15B-17	170.1 14.29-30	219.2 15.32B
24.2.2.23-26	73.6 7.26B-30	122.1 11.18	171.6 14.31	220.2 15.33
25.2.2.27-3.5	74.10 7.31-36A	123.10 11.19-21	172.1 14.32A	221.6 15.34-35
26.4.3.6-7A	75.8 7.36B-37A	124.6 11.22-23	173.6 14.32B-33	222.2 15.36
27.1.3.7B-11A	76.6 7.37B-8.10	125.4 11.24	174.4 14.34	223.1 15.37
28.8.3.11B-12	77.4 8.11	126.6 11.25 (-26, in note)	175.1 14.35-36B	224.2 15.38
29.2.3.13-16A	78.6 8.12-14	127.2 11.27-33	176.1 14.36C	225.2 15.39
30.2.3.16B-19	79.2 8.15	128.2 12.1-11	177.2 14.37-38A	226.6 15.40-41
31.10.3.20-21	80.6 8.16-21	129.1 12.12	178.4 14.38B	227.1 15.42-45
32.2.3.22	81.10 8.22-26	130.2 12.13-27	179.6 14.39-40	228.1 15.46
33.2.3.23-27	82.1 8.27-29A	131.6 12.28-31	180.4 14.41-42	229.6 15.47

34.2 3.28-30	83.2 8.29B-32A	132.10 12.32-34A	181.1 14.43	230.8 16.1
35.2 3.31-35	84.6 8.32B-33	133.2 12.34B	182.2 14.44-46	231.1 16.2-5
36.2 4.1-11B	85.2 8.34-37	134.2 12.35-37	183.1 14.47	232.2 16.6-7
37.1 4.11C-13	86.2 8.38	135.2 12.38-39	184.1 14.48-49A	233.2 16.8
38.2 4.14-20	87.2 9.1-9	136.8 12.40-44	185.6 14.49B-50	LONG
39.2 4.21	88.10 9.10	137.2 13.1-2	186.10 14.51-52	ENDING:
40.2 4.22-23	89.6 9.11-13	138.2 13.3-8	187.1 14.53	no tables given.
41.2 4.24	90.10 9.14-16	139.1 13.9	188.4 14.54	234 16.9
42.2 4.25	91.2 9.17-27	140.6 13.10	189.2 14.55-56	235 16.10-11
43.10 4.26-29	92.10 9.28-29	141.2 13.11-13	190.6 14.57-61	236 16.12-13
44.2 4.30-32	93.2 9.30-32	142.6 13.14A	191.1 14.62	237 16.14
45.6 4.33-34A	94.10 9.33	143.2 13.14B-16	192.6 14.63A	238 16.15-16
46.10 4.34B	95.2 9.34-37A	144.2 13.17	193.2 14.63B-64	239 16.17-18

47.2 4.35-5.17	96.1 9.37B	145.6 13.18	194.1 14.65	240 16.19
48.8 5.18-20	97.8 9.38-40	146.2 13.19	195.1 14.66-68A	241 16.20
49.2 5.21-43	98.6 9.41	147.6 13.20	196.1 14.68B-72A	
<b>LUKE (342)</b>				
1.1 1.1-34	70.2 7.27	139.5 11.45-46	208.10 17.28-30	277.8 22.37
2.5 1.35	71.5 7.28	140.5 11.47-48	209.2 17.31	278.10 22.38
3.10 1.36-2.46	72.10 7.29-30	141.5 11.49-51	210.10 17.32	279.1 22.39
4.2 2.47-48A	73.5 7.31-35	142.5 11.52	211.3 17.33	280.2 22.40
5.10 2.48B-52	74.1 7.36-50	143.10 11.53-12.1B	212.5 17.34-35 (+36, in note)	281.1 22.41
6.3 3.1-2	75.10 8.1-3	144.2 12.1C	213.5 17.37	282.1 22.42
7.1 3.3-6	76.2 8.4-10A	145.5 12.2-8	214.10 18.1-14A	283.10 22.43-44

8.5.3.7-9	77.1 8.10B	146.2 12.9	215.5 18.14B	284.2 22.45-46
9.10.3.10-16A	78.2 8.11-15	147.2 12.10	216.2 18.15-16	285.1 22.47A
10.1.3.16B-E	79.2 8.16	148.2 12.11-12	217.2 18.17	286.2 22.47B-48
11.5.3.17-18	80.2 8.17	149.10 12.13-21	218.2 18.18-21	287.1 22.49-50
12.2.3.19-20	81.5 8.18	150.5 12.22-31	219.2 18.22	288.10 22.51
13.1.3.21-22	82.2 8.19-21	151.10 12.32	220.2 18.23-28	289.1 22.52-53
14.3.3.23-38	83.2 8.22-37A	152.2 12.33A	221.2 18.29-30	290.1 22.54A
15.2.4.1-2A	84.8 8.37B-39	153.5 12.33B-34	222.2 18.31-33	291.1 22.54B-57
16.5.4.2B-13	85.2 8.40-56	154.10 12.35-36	223.10 18.34	292.1 22.58-61A
17.1.4.14-15	86.2 9.1-2	155.5 12.37-38	224.2 18.35-43	293.2 22.61B-62
18.10.4.16-21	87.2 9.3-4	156.2 12.39-40	225.10 19.1-9	294.1 22.63-65
19.1.4.22	88.2 9.5	157.5 12.41-44	226.5 19.10	295.2 22.66-67A
20.10.4.23	89.8 9.6	158.5 12.45-46	227.10 19.11	296.10 22.67B-68

21.1 4.24	90.2 9.7-9	159.10 12.47-48	228.2 19.12	297.1 22.69
22.10 4.25-30	91.8 9.10A	160.5 12.49-53	229.5 19.13-25	298.10 22.70
23.8 4.31	92.3 9.10B-11	161.5 12.54-57	230.2 19.26	299.2 22.71
24.2 4.32	93.1 9.12-17	162.5 12.58-59	231.5 19.27	300.1 23.1
25.8 4.33-37	94.1 9.18-20	163.10 13.1-5	232.2 19.28-31	301.10 23.2
26.2 4.38-40	95.2 9.21-22	164.10 13.6-13	233.2 19.32-36	302.1 23.3
27.8 4.41	96.2 9.23-25	165.2 13.14-16	234.1 19.37-38	303.9 23.4
28.8 4.42-44	97.2 9.26	166.10 13.17	235.5 19.39-40	304.10 23.5-9
29.10 5.1-3	98.2 9.27-36	167.2 13.18-19	236.10 19.41-44A	305.2 23.10
30.9 5.4-7	99.2 9.37-42	168.5 13.20-21	237.2 19.44BC	306.10 23.11-12
31.10 5.8-10A	100.8 9.43A	169.2 13.22	238.1 19.45-46	307.9 23.13-14
32.2 5.10B-11	101.2 9.43B-45	170.5 13.23-24	239.1 19.47-48	308.10 23.15-16

33.2.5.12-14	102.2.9.46-48	171.5.13.25-28A	240.2.20.1-8	309.2.23.17 (in note)
34.1.5.15	103.8.9.49-50	172.5.13.28B-29	241.2.20.9-18	310.1.23.18-19
35.2.5.16	104.10.9.51-56	173.2.13.30	242.1.20.19	311.1.23.20-21
36.2.5.17	105.5.9.57-60	174.10.13.31-33	243.2.20.20-39	312.9.23.22
37.1.5.18-26	106.10.9.61-62	175.5.13.34-35	244.2.20.40	313.1.23.23
38.2.5.27-28	107.10.10.1	176.10.14.1-4	245.2.20.41-44	314.1.23.24-25
39.2.5.29-30	108.5.10.2	177.2.14.5-6	246.2.20.45-46	315.1.23.26
40.2.5.31-39	109.5.10.3	178.10.14.7-10	247.8.20.47-21.4	316.10.23.27-31
41.2.6.1-5	110.2.10.4	179.5.14.11	248.2.21.5-6	317.1.23.32
42.2.6.6-11	111.5.10.5-6	180.10.14.12-15	249.2.21.7-11	318.1.23.33A
43.2.6.12	112.2.10.7A	181.5.14.16-24	250.1.21.12-13	319.1.23.33B
44.2.6.13-16	113.10.10.7B-9	182.5.14.25-27	251.2.21.14-19	320.10.23.34A
45.1.6.17-19	114.2.10.10-12	183.10.14.28-32	252.10.21.20	321.1.23.34B-35A

46.5 6.20	115.5 10.13-15	184.5 14.33	253.2 21.21-22	322.2 23.35B
47.5 6.21A	116.1 10.16	185.2 14.34-35	254.2 21.23A	323.2 23.36-37
48.5 6.21B	117.10 10.17-20	186.2 15.1-2	255.2 21.23B	324.1 23.38
49.5 6.22-23	118.5 10.21	187.5 15.3-7	256.10 21.24	325.2 23.39
50.10 6.24-25	119.3 10.22	188.10 15.8-9	257.2 21.25-26	326.10 23.40-43
51.10 6.26	120.5 10.23-24	189.5 15.10	258.2 21.27-33	327.2 23.44-45A
52.5 6.27-28	121.2 10.25-28	190.10 15.11-16.12	259.10 21.34-38	328.2 23.45B
53.5 6.29-30	122.10 10.29-42	191.5 16.13	260.1 22.1	329.1 23.46
54.5 6.31	123.5 11.1-4	192.10 16.14-15	261.1 22.2	330.2 23.47
55.5 6.32-35	124.10 11.5-8	193.5 16.16	262.9 22.3	331.10 23.48-49
56.2 6.36-38	125.5 11.9-13	194.5 16.17	263.2 22.4-13	332.1 23.50-52
57.5 6.39	126.5 11.14	195.2 16.18	264.10 22.14-15	333.1 23.53

58.3 6.40	127.2 11.15	196.10 16.19-31	265.2 22.16-18	334.10 23.54-55
59.5 6.41-42	128.5 11.16	197.2 17.1-2	266.1 22.19	335.8 23.56
60.5 6.43-44A	129.2 11.17-23	198.5 17.3AB	267.2 22.20	336.1 24.1-4
61.5 6.44B	130.5 11.24-26	199.5 17.3C-4	268.2 22.21-22	337.2 24.5-8
62.5 6.45	131.10 11.27-28	200.5 17.5-6	269.1 22.23	338.2 24.9
63.3 6.46	132.5 11.29-32	201.10 17.7-19	270.2 22.24-26	339.10 24.10-35
64.5 6.47-49	133.2 11.33	202.5 17.20-21	271.10 22.27-30A	340.9 24.36-40
65.3 7.1-9	134.5 11.34-36	203.10 17.22	272.5 22.30B	341.9 24.41-43
66.5 7.10	135.5 11.37-41	204.2 17.23	273.10 22.31-32A	342.10 24.44-53
67.10 7.11-16	136.5 11.42	205.5 17.24	274.9 22.32B	
68.10 7.17	137.2 11.43	206.2 17.25	275.1 22.33-34	
69.5 7.18-26	138.5 11.44	207.5 17.26-27	276.10 22.35-36	



**JOHN (232)**

1.3 1.1-5	48.1 6.4	95.4 11.53-54	142.3 15.21B	189.10 19.6BC
2.3 1.6-8	49.1 6.5-13	96.1 11.55A	143.10 15.22	190.9 19.6D
3.3 1.9-10	50.10 6.14-15A	97.10 11.55B-12.1	144.1 15.23	191.10 19.7
4.10 1.11-13	51.4 6.15B-21	98.1,4 12.2-8	145.10 15.24-16.2A	192.4 19.8-9
5.3 1.14	52.10 6.22-29	99.10 12.9-11	146.1 16.2B-4A	193.10 19.10-14
6.1 1.15	53.4 6.30	100.1 12.12-13	147.10 16.4B-14	194.1 19.15A
7.10 1.16-17	54.10 6.31-34	101.7 12.14-15	148.3 16.15A	195.10 19.15B
8.3 1.18	55.1 6.35A	102.10 12.16-22	149.10 16.15B-23A	196.1 19.16
9.10 1.19-22	56.10 6.35B-37	103.4 12.23	150.4 16.23B-24	197.1 19.17-18A
10.1 1.23	57.1 6.38	104.10 12.24	151.10 16.25-30	198.1 19.18B
11.1 1.24-25	58.10 6.39-40	105.3 12.25	152.4 16.31-32	199.1 19.19
12.1 1.26-27	59.1 6.41-42	106.10 12.26A	153.10 16.33-17.24	200.10 19.20-22

13.10 1.28-29	60.10 6.43-45	107.4 12.26B-27A	154.3 17.25A	201.1 19.23-24B
14.1 1.30-31	61.3 6.46	108.10 12.27B-38	155.10 17.25B-26	202.10 19.24C (=19.25 NRSV) -27
15.1 1.32-34	62.10 6.47	109.1 12.39-40	156.1 18.1	203.4 19.28-30A
16.10 1.35-40	63.1 6.48	110.10 12.41-43	157.10 18.2	204.1 19.30B
17.1 1.41-42	64.10 6.49-50	111.1 12.44-45	158.1 18.3	205.10 19.31-37
18.10 1.43-2.11	65.1 6.51	112.10 12.46-13.1	159.10 18.4-9	206.1 19.38
19.7 2.12	66.10 6.52-54	113.9 13.2	160.1 18.10-11AB	207.10 19.39
20.1 2.13	67.1 6.55	114.3 13.3A	161.1 18.11C	208.1 19.40-42
21.1 2.14-16	68.10 6.56-61	115.10 13.3B-12	162.1 18.12	209.1 20.1
22.10 2.17	69.1 6.62	116.3 13.13	163.10 18.13-14	210.10 20.2-10
23.4 2.18	70.4 6.63A	117.10 13.14-15	164.4 18.15A	211.1 20.11-12
24.10 2.19-3.22	71.10 6.63B-64A	118.3 13.16-17	165.10 18.15B	212.10 20.13-18

25.3 3.23	72.4 6.64B	119.10 13.18-19	166.1 18.16A	213.9 20.19-20A
26.4 3.24	73.10 6.65-67	120.1 13.20	167.10 18.16B	214.10 20.20B-22
27.10 3.25-27	74.1 6.68-69	121.4 13.21	168.1 18.17	215.7 20.23
28.1 3.28	75.10 6.70-7.27	122.1 13.22	169.10 18.18-19	216.10 20.24-25
29.10 3.29-34	76.3 7.28-29	123.10 13.23-26A	170.1 18.20	217.9 20.26-27
30.3 3.35	77.1 7.30	124.10 13.26B-27A	171.10 18.21	218.10 20.28-31
31.10 3.36-4.2	78.10 7.31-32A	125.10 13.27B-35	172.1 18.22	219.9 21.1-6
32.7 4.3	79.1 7.32B	126.1 13.36-38	173.10 18.23	220.10 21.7-8
33.10 4.4-42	80.10 7.33	127.10 14.1-12	174.1 18.24	221.9 21.9-10
34.7 4.43	81.10 7.34-39	128.4 14.13-21A	175.1 18.25-27	222.9 21.11
35.1 4.44	82.7 7.40-41A	129.1 14.21B	176.1 18.28AB	223.9 21.12A
36.10 4.45-46A	83.7 7.41B-42	130.10 14.22-24A	177.10 18.28C-32	224.10 21.12B
37.3 4.46B-54	84.10 7.43	131.1 14.24B-25	178.1 18.33	225.9 21.13

38.1 5.1-10	85.1 7.44	132.10 14.26-15.6	179.10 18.34-36	226.10 21.14-15AB
39.10 5.11-23A	86.10 7.45-8.19A	133.4 15.7	180.1 18.37A	227.9 21.15C
40.1 5.23B	87.3 8.19B	134.10 15.8-12	181.10 18.37B-38A	228.10 21.16AB
41.10 5.24-30A	88.1 8.20	135.4 15.13	182.9 18.38B	229.9 21.16C
42.1 5.30B	89.10 8.21-10.14	136.10 15.14-16A	183.4 18.39	230.10 21.17AB
43.10 5.31-37A	90.3 10.15A	137.4 15.16B	184.1 18.40	231.9 21.17C
44.3 5.37B	91.4 10.15B	138.10 15.17-19	185.4 19.1-3	232.10 21.18-25
45.10 5.38-47	92.10 10.16-38	139.3 15.20A	186.9 19.4	
46.1 6.1-2	93.4 10.39-40	140.10 15.20B	187.4 19.5	
47.3 6.3	94.10 10.41-11.52	141.1 15.21A	188.1 19.6A	